

Course Handicap Table



England Golf

Forest Pines Golf Club (1006545) - Forest/Beeches Men's - White

Course Rating™: 71.7 - Slope Rating®: 142

Handicap Index®		ndex®	Course Handicap™	Handicap Index®		ndex®	Course Handicap™
+5.0	to	+4.4	+6	24.3	to	25.0	31
+4.3	to	+3.6	+5	25.1	to	25.8	32
+3.5	to	+2.8	+4	25.9	to	26.6	33
+2.7	to	+2.0	+3	26.7	to	27.4	34
+1.9	to	+1.2	+2	27.5	to	28.2	35
+1.1	to	+0.4	+1	28.3	to	29.0	36
+0.3	to	0.3	0	29.1	to	29.8	37
0.4	to	1.1	1	29.9	to	30.6	38
1.2	to	1.9	2	30.7	to	31.4	39
2.0	to	2.7	3	31.5	to	32.2	40
2.8	to	3.5	4	32.3	to	33.0	41
3.6	to	4.3	5	33.1	to	33.8	42
4.4	to	5.1	6	33.9	to	34.6	43
5.2	to	5.9	7	34.7	to	35.4	44
6.0	to	6.7	8	35.5	to	36.2	45
6.8	to	7.5	9	36.3	to	37.0	46
7.6	to	8.3	10	37.1	to	37.7	47
8.4	to	9.1	11	37.8	to	38.5	48
9.2	to	9.9	12	38.6	to	39.3	49
10.0	to	10.7	13	39.4	to	40.1	50
10.8	to	11.5	14	40.2	to	40.9	51
11.6	to	12.3	15	41.0	to	41.7	52
12.4	to	13.1	16	41.8	to	42.5	53
13.2	to	13.9	17	42.6	to	43.3	54
14.0	to	14.7	18	43.4	to	44.1	55
14.8	to	15.5	19	44.2	to	44.9	56
15.6	to	16.3	20	45.0	to	45.7	57
16.4	to	17.1	21	45.8	to	46.5	58
17.2	to	17.9	22	46.6	to	47.3	59
18.0	to	18.7	23	47.4	to	48.1	60
18.8	to	19.4	24	48.2	to	48.9	61
19.5	to	20.2	25	49.0	to	49.7	62
20.3	to	21.0	26	49.8	to	50.5	63
21.1	to	21.8	27	50.6	to	51.3	64
21.9	to	22.6	28	51.4	to	52.1	65
22.7	to	23.4	29		to	52.9	66
23.5	to	24.2	30	53.0	to	53.7	67
				53.8	to	54.0	68

INSTRUCTIONS

^{*} When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

^{*} Please make sure that the tees from which you are playing correspond with the tees for which this table applies.



Course Handicap Table



England Golf

Forest Pines Golf Club (1006545) - Forest/Beeches Men's - Yellow

Course Rating™: 70.3 - Slope Rating®: 135

+5.0 to +4.7	Handicap Index®		ndex®	Course Handicap™	Handica	Handicap Index®		Course Handicap™
+4.6 to +3.8 +5 25.6 to 26.3 31 +3.7 to +3.0 +4 26.4 to 27.2 32 +2.9 to +2.1 +3 27.3 to 28.0 33 +2.0 to +1.3 +2 28.1 to 28.8 34 +1.1 to +0.5 +1 28.9 to 29.7 35 +0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 33.0 39 3.0 to 3.7 4 33.1 to 33.0 39 33.3 40 3.8 to 4.6 5 33.9 to 34.7 41 41 4.7 4.7 4.7 4.6 34.8 <t< td=""><td>+5.0</td><td>to</td><td>+4.7</td><td>+6</td><td>24.7 t</td><td>to</td><td>25.5</td><td>30</td></t<>	+5.0	to	+4.7	+6	24.7 t	to	25.5	30
+2.9 to +2.1 +3 27.3 to 28.0 33 +2.0 to +1.3 +2 28.1 to 28.8 34 +1.2 to +0.5 +1 28.9 to 29.7 35 +0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 4.5 to 3.6 to 37.1 8 36.5 to 37.2 44 4.7 to 5.0 6.2 7 35.6 to		to	+3.8	+5		to		31
+2.0 to +1.3 +2 28.1 to 28.8 34 +1.2 to +0.5 +1 28.9 to 29.7 35 +0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 4.7 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46	+3.7	to	+3.0	+4	26.4 t	to	27.2	32
+2.0 to +1.3 +2 28.1 to 28.8 34 +1.2 to +0.5 +1 28.9 to 29.7 35 +0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 4.7 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46		to	+2.1	+3	27.3 t	to		
+1.2 to +0.5 +1 28.9 to 29.7 35 +0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.9 15 42.3		to		+2		to		
+0.4 to 0.4 to 0.4 0 29.8 to 30.5 36 0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 55.2 40 63.9 56.4		to	+0.5	+1	28.9 t	to	29.7	35
0.5 to 1.2 1 30.6 to 31.3 37 1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 <	+0.4	to	0.4	0	29.8 t	to		36
1.3 to 2.0 2 31.4 to 32.2 38 2.1 to 2.9 3 32.3 to 33.0 39 3.0 to 3.7 4 33.1 to 33.8 40 3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49	0.5	to	1.2	1	30.6 t	to		37
3.0 to 3.7	1.3	to	2.0	2	31.4 t	to		38
3.0 to 3.7	2.1	to	2.9	3	32.3 t	to	33.0	39
3.8 to 4.6 5 33.9 to 34.7 41 4.7 to 5.4 6 34.8 to 35.5 42 5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19		to		4		to		40
5.5 to 6.2 7 35.6 to 36.4 43 6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 </td <td></td> <td>to</td> <td></td> <td></td> <td></td> <td>to</td> <td></td> <td>41</td>		to				to		41
6.3 to 7.1 8 36.5 to 37.2 44 7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9	4.7	to	5.4	6	34.8 t	to	35.5	42
7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 20.5 24 <td>5.5</td> <td>to</td> <td>6.2</td> <td>7</td> <td>35.6 t</td> <td>to</td> <td>36.4</td> <td>43</td>	5.5	to	6.2	7	35.6 t	to	36.4	43
7.2 to 7.9 9 37.3 to 38.0 45 8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 20.5 24 <td></td> <td>to</td> <td></td> <td>8</td> <td></td> <td>to</td> <td></td> <td></td>		to		8		to		
8.0 to 8.7 10 38.1 to 38.9 46 8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 <td>7.2</td> <td>to</td> <td>7.9</td> <td>9</td> <td></td> <td>to</td> <td></td> <td>45</td>	7.2	to	7.9	9		to		45
8.8 to 9.6 11 39.0 to 39.7 47 9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58<	8.0	to		10		to		46
9.7 to 10.4 12 39.8 to 40.5 48 10.5 to 11.2 13 40.6 to 41.4 49 11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	8.8	to	9.6	11	39.0 t	to		47
11.3 to 12.1 14 41.5 to 42.2 50 12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4	9.7	to	10.4	12		to	40.5	48
12.2 to 12.9 15 42.3 to 43.1 51 13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3	10.5	to	11.2	13	40.6 t	to	41.4	49
13.0 to 13.8 16 43.2 to 43.9 52 13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1	11.3	to	12.1	14	41.5 t	to	42.2	50
13.9 to 14.6 17 44.0 to 44.7 53 14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9	12.2	to	12.9	15	42.3 t	to	43.1	51
14.7 to 15.4 18 44.8 to 45.6 54 15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	13.0	to	13.8	16	43.2 t	to	43.9	52
15.5 to 16.3 19 45.7 to 46.4 55 16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	13.9	to	14.6	17	44.0 t	to	44.7	53
16.4 to 17.1 20 46.5 to 47.2 56 17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	14.7	to	15.4	18	44.8 t	to	45.6	54
17.2 to 17.9 21 47.3 to 48.1 57 18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	15.5	to	16.3	19	45.7 t	to	46.4	55
18.0 to 18.8 22 48.2 to 48.9 58 18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	16.4	to	17.1	20	46.5 t	to	47.2	56
18.9 to 19.6 23 49.0 to 49.8 59 19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	17.2	to	17.9	21	47.3 t	to	48.1	57
19.7 to 20.5 24 49.9 to 50.6 60 20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	18.0	to	18.8	22	48.2 t	to	48.9	58
20.6 to 21.3 25 50.7 to 51.4 61 21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	18.9	to	19.6	23	49.0 t	to	49.8	59
21.4 to 22.1 26 51.5 to 52.3 62 22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	19.7	to	20.5	24	49.9 t	to	50.6	60
22.2 to 23.0 27 52.4 to 53.1 63 23.1 to 23.8 28 53.2 to 53.9 64	20.6	to	21.3	25	50.7 t	to	51.4	61
23.1 to 23.8 28 53.2 to 53.9 64	21.4	to	22.1	26	51.5 t	to	52.3	62
	22.2	to	23.0	27	52.4 t	to	53.1	63
23.9 to 24.6 29 54.0 to 54.0 65	23.1	to	23.8	28	53.2 t	to	53.9	64
	23.9	to	24.6	29	54.0 t	to	54.0	65

INSTRUCTIONS

^{*} When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

^{*} Please make sure that the tees from which you are playing correspond with the tees for which this table applies.



Course Handicap Table



England Golf Forest Pines Golf Club (1006545) - Forest/Beeches Women's - Red

Course Rating™: 71.9 - Slope Rating®: 140

Handicap Index®		ndex®	Course Handicap™	Handicap	ndex®	Course Handicap™
+5.0	to	+4.5	+6	24.7 to	25.4	31
+4.4	to	+3.7	+5	25.5 to	26.2	32
+3.6	to	+2.9	+4	26.3 to	27.0	33
+2.8	to	+2.1	+3	27.1 to	27.8	34
+2.0	to	+1.3	+2	27.9 to	28.6	35
+1.2	to	+0.5	+1	28.7 to	29.4	36
+0.4	to	0.4	0	29.5 to	30.2	37
0.5	to	1.2	1	30.3 to	31.0	38
1.3	to	2.0	2	31.1 to	31.8	39
2.1	to	2.8	3	31.9 to	32.6	40
2.9	to	3.6	4	32.7 to	33.4	41
3.7	to	4.4	5	33.5 to	34.3	42
4.5	to	5.2	6	34.4 to	35.1	43
5.3	to	6.0	7	35.2 to	35.9	44
6.1	to	6.8	8	36.0 to	36.7	45
6.9	to	7.6	9	36.8 to	37.5	46
7.7	to	8.4	10	37.6 to	38.3	47
8.5	to	9.2	11	38.4 to	39.1	48
9.3	to	10.0	12	39.2 to	39.9	49
10.1	to	10.8	13	40.0 to	40.7	50
10.9	to	11.7	14	40.8 to	41.5	51
11.8	to	12.5	15	41.6 to	42.3	52
12.6	to	13.3	16	42.4 to	43.1	53
13.4	to	14.1	17	43.2 to	43.9	54
14.2	to	14.9	18	44.0 to	44.7	55
15.0	to	15.7	19	44.8 to	45.6	56
15.8	to	16.5	20	45.7 to	46.4	57
16.6	to	17.3	21	46.5 to	47.2	58
17.4	to	18.1	22	47.3 to	48.0	59
18.2	to	18.9	23	48.1 to	48.8	60
19.0	to	19.7	24	48.9 to	49.6	61
19.8	to	20.5	25	49.7 to	50.4	62
20.6	to	21.3	26	50.5 to	51.2	63
21.4	to	22.1	27	51.3 to	52.0	64
22.2	to	23.0	28	52.1 to	52.8	65
23.1	to	23.8	29	52.9 to	53.6	66
23.9	to	24.6	30	53.7 to	54.0	67

INSTRUCTIONS

^{*} When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap™ which corresponds with it in the right column.

^{*} Please make sure that the tees from which you are playing correspond with the tees for which this table applies.